| | Type | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 1 | BRS | S1 | 6 | (hiroyuki same hirota).in. | USPAT |
| 2 | BRS | S2 | 3 | (hiroyuki same hirota).in. and battery and mold | US-PGPUB; USPAT |
| 3 | BRS | S3 | 0 | (kawasata same katsuhiko).in. and battery and mold | US-PGPUB; USPAT |
| 4 | BRS | S4 | 2 | (kawabata same katsuhiko).in. and battery and mold | US-PGPUB; USPAT |
| 5 | BRS | S5 | 1 | "6636018".pn. | US-PGPUB; USPAT |
| 6 | BRS | S6 | 1 | S5 and mold$3 and resin | US-PGPUB; USPAT |
| 7 | BRS | S7 | 0 | S5 and mold$3 and resin and valve$2 | US-PGPUB; USPAT |
| 8 | BRS | S8 | 1 | S5 and mold$3 and resin | US-PGPUB; USPAT |
| 9 | BRS | S9 | 252 | 429//136 | US-PGPUB; USPAT |
| 10 | BRS | S11 | 229 | 429//180 | US-PGPUB; USPAT |
| 11 | BRS | S10 | 5 | S9 and mold$4 and resin and battery and valve | US-PGPUB; USPAT |
| 12 | BRS | S12 | 8 | S11 and mold$4 and resin and battery and valve | US-PGPUB; USPAT |
| 13 | BRS | S13 | 25 | (molded near (battery adj pack)) | US-PGPUB; USPAT |
| 14 | BRS | S14 | 3 | S13 and valve$2 | US-PGPUB; USPAT |
| 15 | BRS | S15 | 16 | (molded same (battery adj pack)) and (mold$3 same valve) | US-PGPUB; USPAT |
| 16 | BRS | S16 | 3 | (hiroyuki same hirota).in. and battery | US-PGPUB; USPAT |
| 17 | BRS | S31 | 13 | (injection same (mold$4 near battery)) and (valve or vent) | US-PGPUB; USPAT |
| 18 | BRS | S30 | 59 | (mold$4 near battery) and valve | US-PGPUB; USPAT |

| | Type | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 19 | BRS | S29 | 16 | (mold$4 near battery) and valve | US-PGPUB |
| 20 | BRS | S28 | 1 | S27 and valve | US-PGPUB |
| 21 | BRS | S27 | 1 | 10/695869 | US-PGPUB |
| 22 | BRS | S26 | 0 | S18 and vent | USPAT |
| 23 | BRS | S25 | 0 | S23 and vent | US-PGPUB |
| 24 | BRS | S24 | 0 | S23 and valve | US-PGPUB |
| 25 | BRS | S23 | 1 | "20030003357" | US-PGPUB |
| 26 | BRS | S22 | 1 | S18 and "20" and "266" and "268" | USPAT |
| 27 | BRS | S19 | 1 | S18 and "20" | USPAT |
| 28 | BRS | S21 | 0 | S18 and "20" and valve | USPAT |
| 29 | BRS | S20 | 0 | S18 and "20" and vlave | USPAT |
| 30 | BRS | S18 | 1 | "6803144".pn. | USPAT |
| 31 | BRS | S17 | 2 | "6803144" | USPAT |
| 32 | BRS | S37 | 0 | S32 and "107" | US-PGPUB |
| 33 | BRS | S38 | 0 | S32 and "1108" | US-PGPUB |
| 34 | BRS | S33 | 1 | S32 and valve$3 and mold$2 | US-PGPUB |
| 35 | BRS | S46 | 1149 | 429//96 | US-PGPUB; USPAT; USOCR |
| 36 | BRS | S61 | 0 | S60 and (valve vent$3 ventila$5) and (resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 37 | BRS | S48 | 446 | S46 and (valve vent$3 resin mold$3 header) | US-PGPUB; USPAT; USOCR |

| | Type | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 38 | BRS | S47 | 454 | S46 and (valve vent$3 ventilat$3 resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 39 | BRS | S36 | 0 | S32 and "102A" | US-PGPUB |
| 40 | BRS | S49 | 384 | S46 and (valve vent$3 ventila$5resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 41 | BRS | S40 | 1 | S32 and core | US-PGPUB |
| 42 | BRS | S39 | 1 | S32 and "2" and "7" | US-PGPUB |
| 43 | BRS | S32 | 1 | 10/695869 | US-PGPUB |
| 44 | BRS | S35 | 1 | S32 and "102" | US-PGPUB |
| 45 | BRS | S41 | 635 | 429//53 | US-PGPUB; USPAT; USOCR |
| 46 | BRS | S50 | 454 | S46 and (valve vent$3 ventila$5 resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 47 | BRS | S51 | 70 | S46 and (valve vent$3 ventila$5) and (resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 48 | BRS | S52 | 1095 | 429//97 | US-PGPUB; USPAT; USOCR |
| 49 | BRS | S53 | 53 | S52 and (valve vent$3 ventila$5) and (resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 50 | BRS | S54 | 705 | 429//98 | US-PGPUB; USPAT; USOCR |
| 51 | BRS | S55 | 29 | S54 and (valve vent$3 ventila$5) and (resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 52 | BRS | S56 | 1341 | 429//99 | US-PGPUB; USPAT; USOCR |
| 53 | BRS | S58 | 1480 | 429//100 | US-PGPUB; USPAT; USOCR |

| | Type | Ref # | Hits | Search Text | DBs |
|---|------|-------|------|-------------|-----|
| 54 | BRS | S57 | 107 | S56 and (valve vent$3 ventila$5) and (resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 55 | BRS | S59 | 114 | S58 and (valve vent$3 ventila$5) and (resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 56 | BRS | S60 | 4780 | H01M002/12 | EPO; JPO; DERWENT |
| 57 | BRS | S62 | 337 | S60 and (valve vent$3 ventila$5) and (resin mold$3 header) | EPO; JPO; DERWENT |
| 58 | BRS | S42 | 552 | S41 and (valve vent$3 ventilat$3 resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 59 | BRS | S64 | 40 | S63 and (valve vent$3 ventila$5) and (resin mold$3 header) | EPO; JPO; DERWENT |
| 60 | BRS | S63 | 14766 | H01M002/10 | EPO; JPO; DERWENT |
| 61 | BRS | S45 | 325 | S43 and (valve vent$3 ventilat$3 resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 62 | BRS | S44 | 552 | S42 and (valve vent$3 ventilat$3 resin mold$3 header) | US-PGPUB; USPAT; USOCR |
| 63 | BRS | S43 | 374 | 429//56 | US-PGPUB; USPAT; USOCR |
| 64 | BRS | S34 | 1 | S32 and "2A" | US-PGPUB |
| 65 | BRS | S65 | 1002 | (kubota same hiroshi).in. | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 66 | BRS | S66 | 9 | (kubota same hiroshi).in. and battery and mold$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 67 | BRS | S67 | 6 | (inoue same yasushi).in. and battery and mold$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT |

|  | Type | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 68 | BRS | S68 | 0 | (tamai same makitaka).in. and battery and mold$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 69 | BRS | S69 | 12 | (tamai same mikitaka).in. and battery and mold$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 70 | BRS | S70 | 900 | battery and (hermetic$4 same (vent valve ventillat$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 71 | BRS | S71 | 78 | battery and (hermetic$4 adj4 (vent valve ventillat$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT |
| 72 | BRS | S72 | 15 | battery and (hermetic$4 adj4 (vent valve ventillat$5)) | USOCR; FPRS |
| 73 | BRS | S73 | 36 | battery and (hermetic$4 adj4 (vent valve ventillat$5)) and (mold$4 cast$3 resin) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT |
| 74 | BRS | S74 | 1450 | battery and hermetic$4 and (vent valve ventillat$5) and (mold$4 cast$3 resin) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT |
| 75 | BRS | S75 | 503 | battery and (hermetic$4 same (vent valve ventillat$5)) and (mold$4 cast$3 resin) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT |
| 76 | BRS | S76 | 1263 | battery and (hermetic$4 same (vent valve ventillat$5)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT |

| | Type | Ref # | Hits | Search Text | DBs |
|---|---|---|---|---|---|
| 77 | BRS | S78 | 1 | "6861821".pn. | USPAT |
| 78 | BRS | S77 | 1 | "6524732".pn. | USPAT |
| 79 | BRS | S80 | 4780 | H01M002/12 | EPO; JPO; DERWENT |
| 80 | BRS | S81 | 2812 | S80 and (valve$2 vent$3 ventilat$4) | EPO; JPO; DERWENT |
| 81 | BRS | S82 | 1483 | S81 and (safety relief) | EPO; JPO; DERWENT |
| 82 | BRS | S83 | 187 | S82 and ((resin$2 insulat$4 polymer$3 mold$3) with safety) | EPO; JPO; DERWENT |
| 83 | BRS | S84 | 1 | 10/695869 | US-PGPUB |
| 84 | BRS | S85 | 1 | S84 and (embedded near project$4) | US-PGPUB |
| 85 | BRS | S86 | 1 | 10/695869 | US-PGPUB |
| 86 | BRS | S87 | 107 | (battery near pack) and valve$2 and mold$2 and resin | US-PGPUB; USPAT; USOCR |
| 87 | BRS | S89 | 1 | "10659869" | US-PGPUB |
| 88 | BRS | S88 | 6 | (battery near pack) and valve$2 and mold$2 and resin | EPO; JPO; DERWENT |
| 89 | BRS | S90 | 1 | "10/659869" | US-PGPUB |
| 90 | BRS | S91 | 1 | "10/695869" | US-PGPUB |
| 91 | BRS | S92 | 1 | S91 and terminal and insulating and valve | US-PGPUB |
| 92 | BRS | S93 | 1 | S91 and grooves | US-PGPUB |
| 93 | BRS | S94 | 12 | (battery near pack$2) and (safety near valve$2) and mold$3 and resin$2 and insulat$4 and (opening$3 hole$2) | US-PGPUB |

|    | Type | Ref # | Hits | Search Text | DBs |
|----|------|-------|------|-------------|-----|
| 94 | BRS | S95 | 1 | ((battery near pack$2) and (safety near valve$2) and mold$3 and resin$2 and insulat$4 and (opening$3 hole$2)).clm. | US-PGPUB |